

Wichtige Blütenformeln

Apiaceae	$K_5 C_5 A_5 G_{(2)}$
Asteraceae	$* \downarrow K_{(\infty)} [C_{(5)} A_{(5)}] G_{(2)}$
Boraginaceae	$* \downarrow K_{(\infty)} [C_{(5)} A_{(5)}] G_{(2)}$
Brassicaceae	$* K_{2+2} C_4 A_{2+4} G_{(2)}$
Campanulaceae	$* K_{(5)} [C_{(5)} A_{(5)}] G_{(\overline{3-3-2})}$
Caryophyllaceae	$* K_5 C_5 A_{5+5} G_{(\underline{5-3-2})}$
Chenopodiaceae	$* P_5 A_5 G_{(2)}$
Ericaceae	$* K_{(5)} C_{(5)} A_{5+5} G_{(\overline{5})}$
Euphorbiaceae	$A_1 / G_{(3)}$
Fabaceae	$\downarrow K_5 C_5 A_{(10)} G_{\underline{1}}$ oder $\downarrow K_5 C_5 A_{(9)+1} G_{\underline{1}}$
Gentianaceae	$* K_{(5)} C_{(5)} A_5 G_{(2)}$
Geraniaceae	$* K_5 C_5 A_{5+5} G_{(5)}$
Lamiaceae	$\downarrow K_{(5)} [C_{(5)} A_{(4)}] G_{(2)}$
Liliaceae	$* P_{3+3} A_{3+3} G_{(\underline{3})}$
Papaveraceae	$* K_2 C_4 A_{\infty} G_{(\underline{2-\infty})}$
Primulaceae	$* K_{(5)} C_{(5)} A_5 G_{(\underline{5})}$
Ranunculaceae	unterschiedlich, z.B. Anemone $* P_{6-8} A_{\infty} G_{\underline{\infty}}$
Rosaceae	$* K_5 C_5 A_{5n+5n} G_{\underline{\infty}}$
Rubiaceae	$* K_{(4)} [C_{(4)} A_4] G_{(2)}$
Salicaceae	$A_{12-5-3-2} // G_{(2)}$
Scrophulariaceae	$\downarrow K_{(5)} [C_{(5)} A_{5-4-2}] G_{(2)}$
Violaceae	$\downarrow K_5 C_5 A_5 G_{(\underline{3})}$

rot = Klausurstoff!